

ALASKA LNG PROJECT	DOCKET No. CP17-__-000 RESOURCE REPORT No. 1 APPENDIX N – MAINLINE COLLOCATION OPPORTUNITIES BY MILEPOST	Doc No: USAI-PE-SRREG-00- 000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	

**APPENDIX N MAINLINE AND PTTL COLLOCATION
OPPORTUNITIES BY MILEPOST**

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 1 OF 27

APPENDIX N					
Mainline Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
0.58	0.83	0.26	North Slope Borough	Utilities	Offset Existing Rights of Way (250 to 500 Feet)
5.56	5.61	0.05		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
5.61	6.88	1.27		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
6.88	7.00	0.12		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
28.00	28.02	0.03		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
28.02	28.16	0.13		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
28.16	28.25	0.09		Other Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
28.25	29.79	1.55		Other Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
29.79	30.97	1.17		Other Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
30.97	34.35	3.39		Other Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
34.35	34.48	0.13		Other Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
34.48	35.76	1.28		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
35.76	37.10	1.34		Other Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
37.10	37.28	0.17		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
37.28	37.31	0.03		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
43.46	43.47	0.01		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
43.47	43.56	0.09		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
43.56	46.68	3.13		Other Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
46.68	47.20	0.52		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
47.20	47.92	0.72		Other Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
47.92	48.08	0.16		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
48.08	48.11	0.03		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
61.94	62.21	0.27		Major Road	Offset Existing Rights of Way (250 to 500 Feet)

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 2 OF 27

APPENDIX N					
Mainline Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
63.06	63.09	0.03	North Slope Borough	Utilities	Offset Existing Rights of Way (250 to 500 Feet)
63.09	63.11	0.02		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
63.11	63.59	0.48		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
63.85	64.64	0.79		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
67.93	67.95	0.02		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
67.95	68.23	0.28		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
68.23	68.24	0.01		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
69.32	69.55	0.23		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
69.55	69.89	0.34		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
69.89	69.97	0.08		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
72.51	72.53	0.02		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
72.53	72.54	0.01		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
72.54	73.39	0.85		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
73.39	73.52	0.13		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
73.52	73.63	0.11		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
73.63	73.74	0.11		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
73.74	74.57	0.82		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
74.57	74.69	0.12		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
74.69	74.78	0.09		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
74.78	74.89	0.11		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
74.89	76.95	2.06	Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)	
76.95	76.98	0.03	Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
76.98	77.17	0.19	Utilities	Offset Existing Rights of Way (250 to 500 Feet)	

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 3 OF 27

APPENDIX N					
Mainline Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
77.17	77.25	0.08		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
77.25	78.02	0.77		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
78.02	78.32	0.30		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
78.32	80.69	2.37		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
80.69	80.72	0.03	North Slope Borough	Major Road	Offset Existing Rights of Way (250 to 500 Feet)
80.72	80.75	0.03		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
83.04	83.08	0.03		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
83.08	83.34	0.26		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
83.34	83.45	0.11		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
88.75	88.81	0.06		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
88.81	88.84	0.03		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
88.84	89.33	0.48		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
89.33	89.38	0.06		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
89.38	89.47	0.09		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
94.59	94.59	0.01		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
94.59	96.24	1.65		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
96.24	96.26	0.02		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
113.57	115.41	1.84		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
115.41	115.42	0.01		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
118.00	118.49	0.49		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
118.49	121.17	2.68		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
121.17	121.19	0.02	Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
121.87	121.93	0.06	Utilities	Offset Existing Rights of Way (250 to 500 Feet)	

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 4 OF 27

APPENDIX N					
Mainline Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
121.93	122.92	0.98		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
122.92	124.57	1.66		Other Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
124.57	124.70	0.13		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
124.70	124.72	0.02		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
124.72	124.76	0.04		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
127.47	127.58	0.11		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
127.58	127.62	0.04		North Slope Borough	Major Road
127.62	129.30	1.68	Other Pipeline		Offset Existing Rights of Way (250 to 500 Feet)
129.30	129.32	0.02	Major Road		Offset Existing Rights of Way (250 to 500 Feet)
129.32	129.36	0.03	Utilities		Offset Existing Rights of Way (250 to 500 Feet)
138.61	138.74	0.13	Other Pipeline		Offset Existing Rights of Way (250 to 500 Feet)
138.74	139.62	0.88	Other Pipeline		Abutting/Minimal Offset (100 to 250 Feet)
139.62	140.35	0.73	Trans-Alaska Pipeline System		Offset Existing Rights of Way (250 to 500 Feet)
140.35	140.65	0.30	Other Pipeline		Abutting/Minimal Offset (100 to 250 Feet)
140.65	141.01	0.36	Trans-Alaska Pipeline System		Offset Existing Rights of Way (250 to 500 Feet)
141.01	141.26	0.25	Other Pipeline		Abutting/Minimal Offset (100 to 250 Feet)
141.26	141.31	0.06	Other Pipeline		Offset Existing Rights of Way (250 to 500 Feet)
141.31	141.44	0.13	Major Road		Abutting/Minimal Offset (100 to 250 Feet)
141.44	141.51	0.07	Major Road		Offset Existing Rights of Way (250 to 500 Feet)
141.51	142.51	1.00	Major Road		Abutting/Minimal Offset (100 to 250 Feet)
142.51	142.86	0.36	Trans-Alaska Pipeline System		Offset Existing Rights of Way (250 to 500 Feet)
142.86	143.16	0.30	Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
143.16	143.57	0.41	Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC NO: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 5 OF 27

APPENDIX N						
Mainline Collocation Opportunities by Milepost						
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance	
143.57	143.83	0.25		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
143.83	145.97	2.14		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
145.97	145.99	0.01		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)	
147.16	147.22	0.07		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
147.22	147.60	0.37		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
147.60	148.92	1.32		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
148.92	149.27	0.35		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
149.27	151.11	1.84		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
151.11	151.19	0.08		North Slope Borough	Major Road	Offset Existing Rights of Way (250 to 500 Feet)
151.19	152.17	0.98			Major Road	Abutting/Minimal Offset (100 to 250 Feet)
152.17	153.54	1.37			Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
153.54	153.57	0.03			Major Road	Abutting/Minimal Offset (100 to 250 Feet)
153.57	154.26	0.69			Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
154.26	154.30	0.04			Major Road	Abutting/Minimal Offset (100 to 250 Feet)
154.30	156.97	2.67	Trans-Alaska Pipeline System		Offset Existing Rights of Way (250 to 500 Feet)	
156.97	157.91	0.94	Major Road		Abutting/Minimal Offset (100 to 250 Feet)	
157.91	159.80	1.89	Trans-Alaska Pipeline System		Offset Existing Rights of Way (250 to 500 Feet)	
159.80	161.66	1.86	Major Road		Abutting/Minimal Offset (100 to 250 Feet)	
161.66	162.34	0.68	Major Road		Offset Existing Rights of Way (250 to 500 Feet)	
162.34	162.66	0.32	Major Road		Abutting/Minimal Offset (100 to 250 Feet)	
162.66	162.76	0.10	Major Road		Offset Existing Rights of Way (250 to 500 Feet)	
162.76	162.79	0.03	Other Pipeline		Offset Existing Rights of Way (250 to 500 Feet)	
162.79	163.31	0.52	Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)		

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 6 OF 27

APPENDIX N						
Mainline Collocation Opportunities by Milepost						
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance	
163.31	164.19	0.88		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)	
164.19	164.97	0.77		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
165.46	166.01	0.55		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
166.04	166.06	0.02		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)	
166.06	166.25	0.19		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
166.25	167.52	1.27		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)	
167.52	167.68	0.16		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
167.68	168.01	0.32		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)	
168.01	168.52	0.51		Trans-Alaska Pipeline System	Overlapping Existing Rights-of-Way (0 to 100 Feet)	
168.52	169.19	0.67		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)	
169.19	169.25	0.06		North Slope Borough	Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
169.25	170.05	0.80			Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)
170.05	170.36	0.31			Trans-Alaska Pipeline System	Overlapping Existing Rights-of-Way (0 to 100 Feet)
170.36	171.31	0.96	Trans-Alaska Pipeline System		Abutting/Minimal Offset (100 to 250 Feet)	
171.31	171.65	0.33	Trans-Alaska Pipeline System		Offset Existing Rights of Way (250 to 500 Feet)	
171.65	171.70	0.06	Utilities		Offset Existing Rights of Way (250 to 500 Feet)	
171.70	171.75	0.05	Major Road		Offset Existing Rights of Way (250 to 500 Feet)	
171.75	171.92	0.17	Major Road		Abutting/Minimal Offset (100 to 250 Feet)	
171.92	172.20	0.28	Trans-Alaska Pipeline System		Offset Existing Rights of Way (250 to 500 Feet)	
172.20	172.38	0.18	Major Road		Abutting/Minimal Offset (100 to 250 Feet)	
172.38	172.74	0.36	Major Road		Offset Existing Rights of Way (250 to 500 Feet)	
172.74	173.42	0.67	Major Road		Abutting/Minimal Offset (100 to 250 Feet)	
173.42	173.84	0.42	Major Road		Offset Existing Rights of Way (250 to 500 Feet)	

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC NO: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 7 OF 27

APPENDIX N					
Mainline Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
173.84	174.09	0.25		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
174.09	174.66	0.57		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
174.66	174.68	0.02		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
175.14	175.15	0.01		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
175.15	175.21	0.07		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
175.21	176.83	1.61		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
176.83	177.55	0.73		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
178.45	178.52	0.07		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
178.52	179.27	0.75		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
179.27	179.28	0.01		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
179.28	179.99	0.71		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
179.99	180.02	0.03		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
180.35	181.25	0.90		North Slope Borough	Trans-Alaska Pipeline System
181.25	181.29	0.04	Utilities		Offset Existing Rights of Way (250 to 500 Feet)
181.67	182.05	0.38	Trans-Alaska Pipeline System		Offset Existing Rights of Way (250 to 500 Feet)
182.05	182.40	0.36	Major Road		Abutting/Minimal Offset (100 to 250 Feet)
182.40	182.69	0.29	Yukon-Koyukuk Census Area	Major Road	Abutting/Minimal Offset (100 to 250 Feet)
182.69	186.06	3.37		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
186.06	186.95	0.89		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
187.24	187.34	0.10		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
187.34	187.46	0.12		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
187.46	187.94	0.48		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
187.94	188.05	0.11		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 8 OF 27

APPENDIX N					
Mainline Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
188.05	188.99	0.94		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)
188.99	191.22	2.23		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
191.22	192.35	1.13		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)
192.35	192.62	0.27		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
192.62	193.20	0.58		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)
193.20	194.54	1.34		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
194.54	194.72	0.18		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
194.72	194.95	0.23		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
195.00	195.09	0.09		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
195.09	195.23	0.14		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
195.23	196.48	1.25		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
196.48	197.18	0.70		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
197.18	199.38	2.20		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
199.38	199.75	0.37		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
199.75	199.98	0.23		Yukon-Koyukuk Census Area	Major Road
199.98	200.25	0.27	Major Road		Abutting/Minimal Offset (100 to 250 Feet)
200.25	202.61	2.36	Major Road		Offset Existing Rights of Way (250 to 500 Feet)
202.61	202.63	0.02	Utilities		Offset Existing Rights of Way (250 to 500 Feet)
205.36	205.46	0.10	Utilities		Offset Existing Rights of Way (250 to 500 Feet)
205.46	205.72	0.27	Major Road		Offset Existing Rights of Way (250 to 500 Feet)
205.72	205.78	0.05	Major Road		Abutting/Minimal Offset (100 to 250 Feet)
205.78	206.31	0.53	Trans-Alaska Pipeline System		Offset Existing Rights of Way (250 to 500 Feet)
206.31	206.58	0.28	Major Road		Abutting/Minimal Offset (100 to 250 Feet)

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 9 OF 27

APPENDIX N						
Mainline Collocation Opportunities by Milepost						
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance	
206.58	208.10	1.52		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
208.10	210.21	2.11		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)	
210.21	210.99	0.78		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
210.99	210.99	0.01		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
210.99	211.06	0.07		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
211.93	213.23	1.30		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
213.23	213.29	0.05		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
215.63	216.27	0.64		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
217.26	217.39	0.14		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
217.39	217.96	0.57		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
217.96	218.23	0.27		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
218.23	218.41	0.18		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
218.41	218.52	0.11		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
218.52	218.61	0.09		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
218.61	219.33	0.72		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
219.33	219.33	0.00		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
219.33	219.49	0.16		Yukon-Koyukuk Census Area	Major Road	Offset Existing Rights of Way (250 to 500 Feet)
219.49	219.55	0.06			Utilities	Offset Existing Rights of Way (250 to 500 Feet)
227.97	228.01	0.04			Utilities	Offset Existing Rights of Way (250 to 500 Feet)
228.01	228.06	0.05			Major Road	Offset Existing Rights of Way (250 to 500 Feet)
228.06	229.23	1.16	Major Road		Abutting/Minimal Offset (100 to 250 Feet)	
229.23	229.92	0.70	Major Road		Offset Existing Rights of Way (250 to 500 Feet)	
230.05	230.33	0.28	Major Road		Offset Existing Rights of Way (250 to 500 Feet)	

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 10 OF 27

APPENDIX N						
Mainline Collocation Opportunities by Milepost						
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance	
230.33	231.49	1.16		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
231.49	231.95	0.46		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
231.95	232.42	0.47		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
232.42	233.16	0.74		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
233.16	236.82	3.67		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
236.82	236.99	0.16		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
236.99	237.05	0.06		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
237.25	237.35	0.10		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
237.35	237.62	0.27		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
237.62	239.46	1.84		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
239.46	239.60	0.14		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
239.60	239.65	0.05		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
243.71	243.75	0.03		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
243.75	244.04	0.29		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
244.04	244.07	0.03		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
246.86	247.28	0.42		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
247.28	247.45	0.17		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
248.13	248.16	0.03		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
248.16	248.27	0.11		Yukon-Koyukuk Census Area	Major Road	Offset Existing Rights of Way (250 to 500 Feet)
248.27	248.63	0.36			Major Road	Abutting/Minimal Offset (100 to 250 Feet)
248.63	248.98	0.35			Major Road	Offset Existing Rights of Way (250 to 500 Feet)
248.98	249.00	0.02			Major Road	Abutting/Minimal Offset (100 to 250 Feet)
249.00	249.55	0.56			Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 11 OF 27

APPENDIX N						
Mainline Collocation Opportunities by Milepost						
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance	
249.55	249.57	0.02		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
249.57	249.60	0.03		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
251.84	252.75	0.91		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
252.75	253.36	0.62		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
253.36	254.17	0.81		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
254.17	254.31	0.14		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
254.31	254.53	0.21		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
254.53	254.83	0.30		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
254.83	255.24	0.41		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
255.24	255.95	0.72		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
255.95	256.06	0.11		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
256.06	256.10	0.04		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
257.34	257.66	0.32		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
257.66	258.21	0.55		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
258.21	258.24	0.03		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
258.24	259.95	1.71		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
259.95	260.10	0.15		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
260.10	260.16	0.07		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
260.26	260.62	0.36		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
261.09	261.39	0.30		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
261.39	265.21	3.82		Yukon-Koyukuk Census Area	Major Road	Offset Existing Rights of Way (250 to 500 Feet)
267.57	267.61	0.04			Utilities	Offset Existing Rights of Way (250 to 500 Feet)
267.61	267.76	0.16			Major Road	Offset Existing Rights of Way (250 to 500 Feet)

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 12 OF 27

APPENDIX N						
Mainline Collocation Opportunities by Milepost						
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance	
267.76	269.89	2.12		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
269.89	270.01	0.12		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
270.95	271.21	0.27		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
271.46	271.51	0.05		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
271.51	272.28	0.77		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
272.28	272.30	0.01		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
283.01	283.06	0.05		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
283.06	283.38	0.32		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
283.38	283.59	0.21		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
288.23	288.67	0.45		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
288.67	288.83	0.16		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
289.62	289.64	0.02		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
289.64	292.78	3.13		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
293.79	293.80	0.01		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
293.80	294.71	0.92		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
294.71	296.23	1.52		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)	
296.23	296.43	0.20		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
296.43	296.49	0.06		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
298.20	298.86	0.67		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
298.86	299.14	0.28		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)	
299.14	300.15	1.01		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
302.17	302.53	0.36		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
302.59	303.00	0.41		Yukon-Koyukuk Census Area	Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 13 OF 27

APPENDIX N					
Mainline Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
307.19	307.36	0.17		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
307.36	309.92	2.56		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
309.92	310.19	0.27		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
312.30	312.34	0.04		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
312.34	312.44	0.10		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
312.44	313.34	0.90		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
313.34	315.82	2.48		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
315.82	316.26	0.44		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
316.26	316.86	0.59		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
316.86	317.86	1.01		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
317.86	318.46	0.59		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
318.46	318.91	0.45		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
318.91	319.09	0.18		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
319.09	319.11	0.02		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
319.11	321.70	2.59		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
321.70	321.78	0.08		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
321.78	322.40	0.62		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
322.40	322.53	0.13		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
324.28	324.31	0.03		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
324.31	324.81	0.50		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
324.81	325.41	0.60		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
325.41	327.54	2.13		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
327.54	327.90	0.36		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 14 OF 27

APPENDIX N					
Mainline Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
327.90	328.45	0.55		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
328.45	330.13	1.68	Yukon-Koyukuk Census Area	Major Road	Offset Existing Rights of Way (250 to 500 Feet)
330.13	332.65	2.52		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
332.65	332.90	0.24		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
333.02	333.67	0.65		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
333.67	334.38	0.71		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
334.38	334.62	0.24		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
337.84	338.88	1.03		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
338.88	339.45	0.57		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
339.45	339.80	0.35		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
340.70	340.90	0.20		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
340.90	341.22	0.32		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
341.22	341.54	0.32		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
341.54	341.87	0.34		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
341.87	341.95	0.08		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
341.95	341.98	0.03		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
342.09	342.10	0.01		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
342.10	344.41	2.30		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
344.41	344.43	0.02		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
344.73	344.77	0.04		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
344.77	346.17	1.40		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
347.50	348.06	0.56	Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
348.06	348.13	0.06	Utilities	Offset Existing Rights of Way (250 to 500 Feet)	

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 15 OF 27

APPENDIX N					
Mainline Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
348.43	351.98	3.55	Yukon-Koyukuk Census Area	Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
351.98	351.99	0.01		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
355.40	355.74	0.33		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
357.54	357.64	0.11		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
357.64	357.79	0.15		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
357.79	358.26	0.47		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
358.26	358.66	0.41		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
358.66	358.81	0.15		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
358.81	359.25	0.44		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)
359.25	359.51	0.27		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
361.30	361.34	0.04		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
361.34	361.47	0.13		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
361.47	363.38	1.90		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
363.38	363.49	0.11		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
363.49	363.52	0.03		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
367.84	367.85	0.01		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
367.85	368.68	0.83		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
368.68	369.47	0.79		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)
369.47	369.53	0.06		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
369.53	369.54	0.01		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
370.04	370.10	0.06		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
370.10	371.36	1.25		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
371.36	371.47	0.11		Utilities	Offset Existing Rights of Way (250 to 500 Feet)

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 16 OF 27

APPENDIX N					
Mainline Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
372.88	372.92	0.04		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
372.92	373.78	0.86		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
373.78	374.83	1.05		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)
374.83	376.30	1.47		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
376.30	376.61	0.31		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)
376.61	378.72	2.11	Yukon-Koyukuk Census Area	Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
378.72	379.81	1.09		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)
379.81	381.28	1.47		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
382.17	383.66	1.49		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
383.66	384.17	0.51		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)
384.17	384.19	0.02		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
384.19	384.69	0.50		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)
384.69	385.23	0.54		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
388.48	388.77	0.28		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
388.77	389.23	0.47		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)
389.23	390.03	0.80		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
390.81	391.14	0.33		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
391.45	394.02	2.56		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
396.20	396.52	0.33		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
396.52	397.38	0.86		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)
397.38	397.48	0.10	Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)	
397.48	397.48	0.00	Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
399.30	399.32	0.02	Utilities	Offset Existing Rights of Way (250 to 500 Feet)	

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 17 OF 27

APPENDIX N					
Mainline Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
399.32	399.50	0.18		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
399.50	400.43	0.93		Trans-Alaska Pipeline System	Abutting/Minimal Offset (100 to 250 Feet)
400.43	401.24	0.81		Trans-Alaska Pipeline System	Offset Existing Rights of Way (250 to 500 Feet)
401.24	401.32	0.09		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
465.82	470.18	4.36		Railroad	Offset Existing Rights of Way (250 to 500 Feet)
470.18	470.25	0.07		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
470.25	470.67	0.42		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
470.67	472.09	1.42	Yukon-Koyukuk Census Area	Major Road	Abutting/Minimal Offset (100 to 250 Feet)
472.09	472.43	0.34		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
472.43	472.81	0.38		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
472.81	472.88	0.07		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
472.88	474.38	1.50		Railroad	Offset Existing Rights of Way (250 to 500 Feet)
498.14	501.12	2.98	Denali Borough	Railroad	Offset Existing Rights of Way (250 to 500 Feet)
501.12	501.19	0.07		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
501.19	501.95	0.76		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
501.95	501.98	0.03		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
501.98	507.32	5.34		Railroad	Offset Existing Rights of Way (250 to 500 Feet)
508.13	509.41	1.28		Railroad	Offset Existing Rights of Way (250 to 500 Feet)
509.57	511.52	1.95		Railroad	Offset Existing Rights of Way (250 to 500 Feet)
511.52	511.68	0.16		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
511.68	511.77	0.09		Utilities	Abutting/Minimal Offset (100 to 250 Feet)
511.77	511.99	0.22		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
511.99	512.47	0.48	Major Road	Abutting/Minimal Offset (100 to 250 Feet)	

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 18 OF 27

APPENDIX N					
Mainline Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
512.47	512.87	0.40		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
512.87	513.62	0.75		Utilities	Abutting/Minimal Offset (100 to 250 Feet)
513.62	515.21	1.59		Utilities	Overlapping Existing Rights-of-Way (0 to 100 Feet)
515.21	516.01	0.80		Utilities	Abutting/Minimal Offset (100 to 250 Feet)
516.01	516.89	0.89		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
516.89	518.21	1.32		Railroad	Offset Existing Rights of Way (250 to 500 Feet)
518.21	518.34	0.13		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
518.34	519.70	1.36		Utilities	Abutting/Minimal Offset (100 to 250 Feet)
519.70	520.75	1.05		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
521.16	521.52	0.35		Denali Borough	Utilities
528.90	530.11	1.21	Railroad		Offset Existing Rights of Way (250 to 500 Feet)
530.11	530.13	0.02	Utilities		Offset Existing Rights of Way (250 to 500 Feet)
530.13	530.25	0.12	Major Road		Offset Existing Rights of Way (250 to 500 Feet)
530.25	530.92	0.67	Major Road		Abutting/Minimal Offset (100 to 250 Feet)
530.92	531.89	0.97	Major Road		Offset Existing Rights of Way (250 to 500 Feet)
531.89	532.35	0.46	Major Road		Abutting/Minimal Offset (100 to 250 Feet)
532.35	534.38	2.03	Major Road		Overlapping Existing Rights-of-Way (0 to 100 Feet)
534.38	534.38	0.01	Major Road		Abutting/Minimal Offset (100 to 250 Feet)
534.38	534.65	0.26	Major Road		Overlapping Existing Rights-of-Way (0 to 100 Feet)
534.65	534.85	0.20	Major Road		Abutting/Minimal Offset (100 to 250 Feet)
534.85	536.12	1.28	Major Road		Overlapping Existing Rights-of-Way (0 to 100 Feet)
536.12	536.16	0.03	Major Road		Abutting/Minimal Offset (100 to 250 Feet)
536.16	536.25	0.10	Major Road		Offset Existing Rights of Way (250 to 500 Feet)

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 19 OF 27

APPENDIX N						
Mainline Collocation Opportunities by Milepost						
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance	
536.25	536.92	0.67		Railroad	Offset Existing Rights of Way (250 to 500 Feet)	
541.79	541.85	0.06		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
541.85	542.90	1.05		Utilities	Abutting/Minimal Offset (100 to 250 Feet)	
542.90	542.97	0.07		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
543.00	543.08	0.08		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
543.08	543.45	0.37		Utilities	Abutting/Minimal Offset (100 to 250 Feet)	
543.45	544.12	0.67		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
544.12	546.01	1.90		Utilities	Abutting/Minimal Offset (100 to 250 Feet)	
546.01	546.23	0.22		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
546.23	552.65	6.42		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
552.65	552.70	0.05		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
552.70	553.21	0.51		Denali Borough	Major Road	Abutting/Minimal Offset (100 to 250 Feet)
553.21	553.69	0.48			Major Road	Offset Existing Rights of Way (250 to 500 Feet)
553.69	553.90	0.22	Utilities		Offset Existing Rights of Way (250 to 500 Feet)	
553.90	554.22	0.31	Railroad		Offset Existing Rights of Way (250 to 500 Feet)	
554.22	554.87	0.66	Utilities		Offset Existing Rights of Way (250 to 500 Feet)	
554.87	555.22	0.35	Railroad		Offset Existing Rights of Way (250 to 500 Feet)	
555.22	555.42	0.20	Utilities		Offset Existing Rights of Way (250 to 500 Feet)	
555.42	555.75	0.33	Major Road		Offset Existing Rights of Way (250 to 500 Feet)	
555.75	556.04	0.29	Utilities		Offset Existing Rights of Way (250 to 500 Feet)	
556.04	556.55	0.51	Utilities		Abutting/Minimal Offset (100 to 250 Feet)	
556.55	556.87	0.32	Utilities		Overlapping Existing Rights-of-Way (0 to 100 Feet)	
556.87	557.07	0.21	Major Road		Offset Existing Rights of Way (250 to 500 Feet)	

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 20 OF 27

APPENDIX N					
Mainline Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
557.07	557.87	0.80		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
557.87	557.98	0.11		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
557.98	558.14	0.16		Utilities	Overlapping Existing Rights-of-Way (0 to 100 Feet)
558.14	558.46	0.32		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
558.46	559.50	1.04		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
559.50	559.69	0.19		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
559.69	560.22	0.53		Utilities	Abutting/Minimal Offset (100 to 250 Feet)
560.22	560.30	0.08		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
566.48	566.76	0.27		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
569.64	569.94	0.30		Railroad	Offset Existing Rights of Way (250 to 500 Feet)
570.58	570.66	0.08		Railroad	Offset Existing Rights of Way (250 to 500 Feet)
570.66	570.72	0.06		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
570.72	572.73	2.01		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
572.73	572.76	0.02		Denali Borough	Utilities
572.76	573.29	0.53	Railroad		Abutting/Minimal Offset (100 to 250 Feet)
573.29	575.40	2.11	Railroad		Offset Existing Rights of Way (250 to 500 Feet)
575.40	582.92	7.52	Matanuska-Susitna Borough	Railroad	Offset Existing Rights of Way (250 to 500 Feet)
583.92	585.47	1.55		Railroad	Offset Existing Rights of Way (250 to 500 Feet)
585.50	588.73	3.23		Railroad	Offset Existing Rights of Way (250 to 500 Feet)
588.74	589.76	1.02		Railroad	Offset Existing Rights of Way (250 to 500 Feet)
589.81	590.14	0.33		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
593.39	593.93	0.53		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
595.08	595.36	0.29		Railroad	Offset Existing Rights of Way (250 to 500 Feet)

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 21 OF 27

APPENDIX N					
Mainline Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
595.95	596.24	0.29		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
604.58	604.70	0.12		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
604.70	605.92	1.21		Utilities	Abutting/Minimal Offset (100 to 250 Feet)
605.92	605.97	0.05		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
606.14	607.22	1.08		Railroad	Offset Existing Rights of Way (250 to 500 Feet)
607.22	609.18	1.96		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
609.18	609.22	0.03		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
609.22	611.13	1.91		Railroad	Offset Existing Rights of Way (250 to 500 Feet)
611.13	611.17	0.04		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
611.17	611.37	0.20		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
611.37	612.95	1.58		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
612.95	613.24	0.29		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
616.95	617.21	0.26		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
624.52	627.76	3.25		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
627.76	628.79	1.03		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
628.79	628.83	0.04		Matanuska-Susitna Borough	Major Road
628.83	629.28	0.45	Major Road		Abutting/Minimal Offset (100 to 250 Feet)
629.28	629.57	0.29	Major Road		Offset Existing Rights of Way (250 to 500 Feet)
629.57	630.25	0.68	Major Road		Abutting/Minimal Offset (100 to 250 Feet)
630.25	630.55	0.30	Major Road		Offset Existing Rights of Way (250 to 500 Feet)
631.41	632.52	1.11	Major Road		Offset Existing Rights of Way (250 to 500 Feet)
632.52	632.55	0.03	Utilities		Offset Existing Rights of Way (250 to 500 Feet)
635.26	635.32	0.06	Utilities		Offset Existing Rights of Way (250 to 500 Feet)

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 22 OF 27

APPENDIX N						
Mainline Collocation Opportunities by Milepost						
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance	
635.32	635.87	0.56		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
635.87	636.44	0.56		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
636.44	636.85	0.42		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
636.85	637.69	0.83		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
637.69	640.92	3.24		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
640.92	640.98	0.05		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
648.26	649.60	1.35		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
649.60	650.61	1.01		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
650.61	650.78	0.18		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
650.78	651.22	0.44		Major Road	Abutting/Minimal Offset (100 to 250 Feet)	
651.22	651.33	0.11		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
651.33	651.42	0.08		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
651.43	651.62	0.19		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
651.62	653.59	1.98		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
653.59	653.67	0.07		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
656.21	656.23	0.02		Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
656.23	656.31	0.08		Major Road	Offset Existing Rights of Way (250 to 500 Feet)	
656.31	656.58	0.26		Matanuska-Susitna Borough	Major Road	Abutting/Minimal Offset (100 to 250 Feet)
656.58	656.79	0.21			Major Road	Offset Existing Rights of Way (250 to 500 Feet)
656.79	656.92	0.13			Utilities	Offset Existing Rights of Way (250 to 500 Feet)
657.28	657.35	0.07	Utilities		Offset Existing Rights of Way (250 to 500 Feet)	
657.35	657.68	0.33	Major Road		Offset Existing Rights of Way (250 to 500 Feet)	
658.55	660.44	1.89	Major Road		Offset Existing Rights of Way (250 to 500 Feet)	

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 23 OF 27

APPENDIX N					
Mainline Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
668.78	670.11	1.33	Kenai Peninsula Borough	Major Road	Offset Existing Rights of Way (250 to 500 Feet)
670.20	670.90	0.70		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
764.53	764.57	0.04		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
764.57	764.83	0.26		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
764.83	764.97	0.14		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
765.53	765.69	0.16		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
765.69	766.04	0.35		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
796.65	797.15	0.50		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
799.52	799.57	0.05		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
799.57	799.60	0.03		Other Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
799.60	800.29	0.69		Other Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
800.29	800.32	0.03		Other Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
800.32	800.37	0.05		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
803.24	803.31	0.07		Major Road	Offset Existing Rights of Way (250 to 500 Feet)
803.31	803.35	0.04		Major Road	Abutting/Minimal Offset (100 to 250 Feet)
803.35	803.84	0.49		Major Road	Overlapping Existing Rights-of-Way (0 to 100 Feet)
803.84	804.65	0.81		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
805.09	805.71	0.62		Other Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
805.71	805.99	0.28		Major Road	Overlapping Existing Rights-of-Way (0 to 100 Feet)
805.99	806.05	0.06		Kenai Peninsula Borough	Major Road
806.05	806.26	0.21	Major Road		Offset Existing Rights of Way 250 to 500 Feet)

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 24 OF 27

APPENDIX N					
PTTL Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
0.02	2.58	2.57	North Slope	Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
2.58	2.59	0.01		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
2.59	17.53	14.94		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
17.53	17.62	0.09		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
17.62	17.78	0.15		Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
22.37	22.45	0.08		Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
22.45	22.49	0.04		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
22.49	23.61	1.12		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
23.61	23.64	0.03		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
23.64	24.12	0.49		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
24.12	24.49	0.36		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
24.49	24.91	0.42		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
24.91	24.93	0.03		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
24.93	25.35	0.42		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
25.35	25.61	0.25		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
25.61	26.82	1.21		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
26.82	26.85	0.03		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
26.85	27.96	1.11		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
27.96	27.98	0.02		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
27.98	29.07	1.09		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
29.07	29.10	0.03	Pipeline	Abutting/Minimal Offset (100 to 250 Feet)	
29.10	29.63	0.53	Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)	

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 25 OF 27

APPENDIX N					
PTTL Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
29.63	29.65	0.02	North Slope	Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
29.65	30.53	0.88		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
30.53	30.56	0.03		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
30.56	31.45	0.89		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
31.45	31.47	0.03		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
31.47	32.45	0.97		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
32.45	32.47	0.02		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
32.47	33.48	1.01		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
33.48	33.50	0.02		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
33.50	34.61	1.11		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
34.61	34.64	0.02		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
34.64	35.19	0.55		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
35.19	35.46	0.27		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
35.46	35.85	0.39		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
35.85	35.88	0.02		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
35.88	36.62	0.75		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
36.62	36.65	0.03		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
36.65	37.40	0.75		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
37.40	37.43	0.02		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
37.43	38.33	0.90		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
38.33	38.35	0.02	Pipeline	Abutting/Minimal Offset (100 to 250 Feet)	
38.35	39.43	1.08	Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)	

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC No: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 26 OF 27

APPENDIX N					
PTTL Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
39.43	39.45	0.02	North Slope	Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
39.45	40.51	1.05		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
40.51	40.53	0.03		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
40.53	41.50	0.96		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
41.50	41.52	0.02		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
41.52	42.67	1.15		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
42.67	42.75	0.08		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
42.75	42.88	0.13		Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
49.12	49.17	0.05		Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
49.17	49.20	0.03		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
49.20	51.68	2.48		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
51.84	54.11	2.27		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
54.11	54.25	0.14		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
54.25	54.26	0.01		Utilities	Abutting/Minimal Offset (100 to 250 Feet)
54.26	54.92	0.67		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
54.92	55.46	0.53		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
55.46	55.50	0.05		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
55.50	55.59	0.09		Pipeline	Offset Existing Rights of Way (250 to 500 Feet)
55.59	55.66	0.07		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
55.99	56.50	0.51		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
58.28	58.46	0.18	Utilities	Offset Existing Rights of Way (250 to 500 Feet)	
58.46	59.11	0.65	Pipeline	Abutting/Minimal Offset (100 to 250 Feet)	

ALASKA LNG PROJECT	DOCKET NO. CP17-__-000 RESOURCE REPORT NO. 1 APPENDIX N – MAINLINE AND PTTL COLLOCATION OPPORTUNITIES BY MILEPOST	DOC NO: USAI-PE-SRREG-00-000001-000 DATE: APRIL 14, 2017 REVISION: 0
	PUBLIC	PAGE 27 OF 27

APPENDIX N					
PTTL Collocation Opportunities by Milepost					
Start Mile Post	End Mile Post	Length (miles)	Borough/Census Area	Category	Distance
59.11	59.14	0.03		Utilities	Offset Existing Rights of Way (250 to 500 Feet)
59.14	60.44	1.30		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
60.44	60.45	0.01		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
60.45	60.46	0.01		Utilities	Abutting/Minimal Offset (100 to 250 Feet)
60.46	60.80	0.35		Pipeline	Overlapping Existing Rights-of-Way (0 to 100 Feet)
60.80	60.90	0.09		Pipeline	Abutting/Minimal Offset (100 to 250 Feet)
60.90	60.96	0.06		North Slope	Pipeline
60.96	61.20	0.24	Utilities		Abutting/Minimal Offset (100 to 250 Feet)
61.20	61.27	0.07	Utilities		Offset Existing Rights of Way (250 to 500 Feet)